MAX®

CADLINER

CD-750

Lettering Style Guide

Max Cadliner

Max Cadliner

Max Cadliner

Max Cadliner

Max Cadliner

Max Cadliner

Max Cadliner

Max Cadliner

Max Cadliner

Max Cadliner

Max Cadliner

Max Cadliner

Max Cadliner

Standard Features, Lettering Style and Symbols.

LETTER SIZE SIZE

Letter size ranges from 0.04″ (1mm) to 1.0″ (25.4mm) and can be selected in increments of 0.005″ (0.1mm).



CONDENSED AND EXTENDED LETTERING C&E

The width of letters can be varied from 50% up to 200% of the normal lettering width.

SLANTED LETTERING SLANT

This key permits lettering modes ranging from 45° to 135°, in increments of one degree.




ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz 1234567890
&?!@#$¢%*( ) [ ]" " < > \ IVXØπ×÷=+-± ¢₧฿ ° ′″
A AB ABCDEFGHIJK A AB ABCDEFGHIJK 23 45 67 89 55 88 23/45 234/567

LS-705

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz 1234567890
&?!@#$¢%~* ( ) [ ] " " ° ′ ″ ×÷=+-±

LS-706

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz 1234567890
&?!@#$¢%~* ( ) [ ] " " ° ′ ″ ×÷=+-±

LS-709

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz 1234567890
&?!@#$¢%~ ( ) [ ] " " ° ′ ″ ×÷=+-±*

LS-710

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz 1234567890
&?!@#$¢%~ ( ) [ ] " " ° ′ ″ ×÷=+-±*

LS-711

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz 1234567890
&?!@#$¢%~*()[]“”‘’ ×÷=+−±

LS-712

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz 1234567890
&?!@#$¢%~*()[]“”‘’ ×÷=+−±

LS-713

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz 1234567890
&?!@#$¢%~* ( ) [ ] “ ” ‘ ’ ” ×÷=+−±

LS-714

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz 1234567890
&?!@#$¢%~* ( ) [ ] “ ” ‘ ’ ” ×÷=+−±

LS-717

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz 1234567890
&?!@#$¢%~* ( ) [ ] “ ” ‘ ’ ” ×÷=+−±

LS-718

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz 1234567890
&?!@#$¢%~* ( ) [ ] “ ” ‘ ’ ” ×÷=+−±

LS-751

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz 1234567890
&?!@#$¢%~* ( ) [ ] " " ° ' " ×÷=+-±

LS-753

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz 1234567890
&?!@#$¢%~* ( ) [ ] " " ° ' " ×÷=+-±

LS-759

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz 1234567890
&?!@#$¢%~* ( ) [ ] " " ° ' " ×÷=+-±

LS-760

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz 1234567890
&?!@#$¢%~* ( ) [ ] " " ° ' " ×÷=+-±

LS-761

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz 1234567890
&?!@#$¢%~ ( ) [ ] " " ° ' " ×+=+-±*

LS-757

ΕΡΤΥΘΙΟΠΑΣΔΦΓΗΞΚΛΖΧΨΩΒΝΜ
ςερτυθιοπασδφγηξκλζχψωβνμ
0123456789.,:/\°'"×÷=+-±()[]IVX&?!$¢%‘’“”<>#*@

Distributed by:

MAX®

MAX BUSINESS MACHINES CORP.
The first name in a line of quality products.
MAIN OFFICE: 585 Commercial Ave., Garden City, NY 11530
Phone: (516) 222-2184 / Fax: (516) 222-1046
L.A. OFFICE: 20830 Leapwood Ave., Carson, CA 90746
Phone: (213) 532-4340 / Fax: (213) 532-1580

For additional information and assistance, contact your local dealer: